



Experience Better Living.



Firebox
Series

IGNITE® Aspire

Redefining the traditional fireplace.



IGNITE[®] Aspire

Built-in Portrait Electric Firebox

Experience Better Living.

Available
in 30, 36, 42
& 48 inch
widths

Key Benefits

Classic Hearth

Embrace the timeless charm of a traditional fireplace, creating a warm and inviting focal point for gatherings and relaxation.

True to Life

Experience the epitome of realism with mesmerizing flames, pulsating logs, and cozy warmth.

Sustainable Solution

Merges sustainability and energy efficiency to deliver an environmentally conscious heating and design solution.



Dynamic-Fire Flame Effect

Witness a brand new, remarkably realistic flame effect, patented by Dimplex.



Rhythmic Inner Glow Logs

Features quick connect, moveable logs enhanced with inner glow technology that pulse in rhythm with the dancing flames.



ComfortSaver[®] Heating

On-demand supplemental heating for up to 1,000 sq ft. with the option to turn the heat off and enjoy the flames year-round.



Crackling Sound Effects

Enhance your sensory journey with the soothing sound of a crackling natural wood fire.

Total Control

Harness total control of your fireplace with the Dimplex Flame Connect App. You can also use the wall-mountable remote control or 3-button touch display.




Tumbled glass



Rhythmic inner glow logs



Black shattered glass



Same fireplace, simply choose 1 of 4 configurations.
Configurations 2-4 require convertible trim kit sold separately.



Front



Left



Right



Bay



ASP30 30" Electric Firebox

Product Dimensions (WxHxD)
30-9/16 x 37-1/2 x 17-1/2 in
77.7 x 95.3 x 44.5 cm

Carton Dimensions (WxHxD)
38 x 44 x 23 in
96.5 x 111.8 x 58.4 cm

Packaged Weight
92 lbs / 41.7 kg

UPC
781052152915

ASP36 36" Electric Firebox

Product Dimensions (WxHxD)
36-9/16 x 43-1/2 x 17-1/2 in
92.9 x 110.5 x 44.5 cm

Carton Dimensions (WxHxD)
45 x 50 x 23 in
114.3 x 127.0 x 58.4 cm

Packaged Weight
98 lbs / 44.5 kg

UPC
781052152922

ASP42 42" Electric Firebox

Product Dimensions (WxHxD)
42-5/8 x 46-1/2 x 17-1/2 in
108.2 x 118.1 x 44.5 cm

Carton Dimensions (WxHxD)
51 x 52 x 23 in
129.5 x 132.1 x 58.4 cm

Packaged Weight
104 lbs / 47.2 kg

UPC
781052152939

ASP48 48" Electric Firebox

Product Dimensions (WxHxD)
48-15/16 x 49-1/2 x 17-1/2 in
124.3 x 125.8 x 44.5 cm



Carton Dimensions (WxHxD)
57 x 55 x 23 in
144.8 x 139.7 x 58.4 cm

Packaged Weight
110 lbs / 49.9 kg

UPC
781052152946




Product Dimensions:



Product ASP36	A WIDTH (in/cm)	B HEIGHT with trim (in/cm)	C DEPTH (in/cm)	VIEWING DIMENSION - WxHxD (in/cm)
Front Install	36-9/16 (92.9)	43-1/2 (95.3)	17-1/2 (44.5)	36 x 34 x 9 (86.4 x 86.4 x 22.9)


Volts: 120 V (3-Wire) or 240 V (4-Wire)
Watts: 1500 W at 120 V, 2500 W at 240 V

BTUs/hr: 5118 | 8530
Amps: 12.5/10.4




Framing Dimensions

Model	Width	Height	Depth
	A	B	C
ASP30	30-3/4" 78.2 cm	38" 96.6 cm	18" 45.8 cm
ASP36	36-3/4" 93.4 cm	44" 111.8 cm	
ASP42	42-3/4" 108.6 cm	47" 119.4 cm	
ASP48	48-3/4" 123.9 cm	50" 127 cm	



Prepare a wall with a framed opening, following the dimensions in the table.

Install the mounting brackets to the top of the firebox with the black screws provided.



⚠ CAUTION: This fireplace is NOT load-bearing. Ensure the opening for the fireplace is framed in such a way that the weight of the building materials will not create pressure on the top of the fireplace.

! NOTE: Wiring connections are located at the back of the firebox, in the top right corner.