



THE NEXT LEVEL IN LUXURY APPLIANCES

XOUM1565S
XOUM1565SP
(WITH PUMP)

15" INDOOR - OUTDOOR CLEAR GOURMET ICE MAKER



- Rated for Indoor or Outdoor use
- Up to 65 lbs of Gourmet Ice per day
- Stores up to 27 lbs of ice
- Fully Automatic


15" UNDERCOUNTER ICE MAKER

Automatically produces up to 65lbs of clear gourmet ice per day

The **XOUM1565S** series ice maker produces large cube gourmet ice that is crystal clear ideal for use in all kinds of beverages. That's because the rectangular bell shaped cubes are designed to melt slowly and minimize any dilution. The spray molding process allows impurities that can add taste or odor to be continuously washed away. It is ice created for the purist in you.

Choosing the right ice matters.

Cube Size:




WORLD CLASS SERVICE | COMPREHENSIVE WARRANTIES
OUR LASTING COMMITMENT TO YOU



XOUM1565S XOUM1565SP (WITH PUMP)

15" GOURMET ICE MAKER



OVER ALL DEPTH WITH DOOR @ 90° - 37-1/4"

FEATURES

FINISH

Fingerprint Resistant 304 Stainless Steel
Includes Two Different Style Handles
White Interior

ICE MAKER

Produces up to 65lbs of Gourmet Ice per Day
Ice Tank Capacity 27lbs
Front Venting - Designed for Undercounter
Fully Automatic
Rated for Indoor and Outdoor Use
Large Rectangular Bell Cube
Easy to Spot Blue Ice Scoop
Available in two models:

XOUM1565S
Standard for gravity drain installs

XOUM1565SP
Includes factory installed automatic drain pump

SPECIFICATIONS

ELECTRICAL 120VAC 60HZ 4 AMP*

PWR CONNECTION 6-1/2' (3) wire cord 90° Flat Plug

WATER CONNECTION 1/4" 20 - 80 psi 50°F Optimal

DRAIN CONNECTION 5/8"


REFRIGERANT R-134a

OVER ALL DIM. 14-15/16" x 23-1/4" x 33-3/4"

NET WGT. 104 lbs

*dedicated 15 amp service required
unit must be properly grounded
see installation instructions



ROUGH-IN DIMENSIONS



All XO undercounter units arrive pre-wired with low profile plugs for easy installation



Need more space -
Cut into an adjoining
cabinet to reach an
outlet there



When installing with
The hinge side next to
a wall - Leave adequate
space for your door
handle.